

58042-1

SPECIFIC-T-1

Microbial Larvicide

FOR USE AGAINST:

Codling moth, Cydia pomonella (L.) on apples, pears, walnuts and plums (Prunes).

ACTIVE INGREDIENT:

Inclusion bodies of the Granulosis virus of Cydia pomonella (Codling Moth)*0.0013%.

INERT INGREDIENTS: 99.999%

*Contains at least 500 million granulosis occlusion bodies per gram of product.

**KEEP OUT OF THE REACH OF CHILDREN
CAUTION**


Statement of Practical Treatment: In case of contact with eyes flush with plenty of water for at least 15 minutes. If on skin, wash thoroughly with soap and water. If inhaled, remove victim to fresh air. Apply respiration if indicated. Get medical attention if irritation persists.

MFG by: Association for Sensible Pest Control, Inc.
6200 Center Street, Suite 320, Clayton, CA 94517

**EPA Reg. No. 58042-1
EPA Est. 66447-CA-001
NET CONTENTS: 1 pint**

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.



AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water is:

- Coveralls
- Waterproof gloves
- Shoes plus socks
- Protective eyewear

GENERAL: Use 700 milliliters (1 1/2 pints) of product per acre for each application. Start applications at the beginning of egg hatch of the first generation. Repeat applications at 3-10 day intervals as long as egg laying is taking place.

SPRAY PREPARATION: Clean and calibrate sprayer. Fill mixing tank with one-half of the water to be used. Start agitation in tank. Add a spreader sticker, such as NuFilm-P or equivalent, according to product's label instructions. Add recommended amount of product. Continue agitation until thoroughly mixed. Spray tank mixture should not exceed pH 8.0.

APPLICATION: Calibrate sprayer. Make sure all nozzles are functional. Use sufficient water per acre to obtain thorough coverage while minimizing runoff. The diluted mixture should not be allowed to remain in the mixing tank for more than 24 hours.

STORAGE AND DISPOSAL

DO NOT CONTAMINATE WATER, FOOD OR FEED BY STORAGE OR DISPOSAL.

STORAGE: Store in freezer or refrigerator. Use within 1 day after removal from storage. Bioactivity may be impaired by storage. Bioactivity may be impaired by storage above 90° Fahrenheit. Storing the product in a freezer or refrigerator will extend its shelf-life.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by incineration, or if allowed by State and local authorities by burning. If burning is allowed, stay out of smoke.

PERSONAL PROTECTIVE EQUIPMENT APPLICATORS AND OTHER HANDLERS MUST WEAR:

- Long-sleeved shirt and long pants
- Waterproof gloves
- Shoes plus socks
- Protective eyewear
- Dust/mist filtering respirator (MSHA/NIOSH approval number prefix TC-21C)

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

ENGINEERING CONTROL STATEMENTS

When handlers use closed systems, enclosed cabs, or aircraft in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides (40 CFR 170.240(d)(4-6), the handler PPE requirements may be reduced or modified as specified in the WPS.

USER SAFETY RECOMMENDATIONS

USER SHOULD:

- Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

ENVIRONMENTAL HAZARDS

Do not contaminate water when disposing of equipment washwaters.